

Receiving Report

Date: 13/5/17
 Supplier: Turner D/O

Batch No. M2 5579
 Dart P/O: 19706

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☐ No ☒ N/A ☐
 QC6 Inspection: 13-05-08 N/A ☒
 Work Order: 16 13/05/18 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M60676	F0-3)25w.058 2N	0	0	0	200	
M80705	73R1-00	48	0	0	48	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 13/5/17
 Date [Signature]
 Received/Costing [Signature]
 Initial [Signature]

Location _____

Purchase Order Receipt Listing

Tuesday, May 07, 2013 11:28:07 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO19756 Receipt Dates from 5/7/2013 to 5/7/2013 All Line Item Types
 All Item ID/GL/WOs All Rec. Employees All Currencies
 Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VU-TWM001 TW-Metals											
PO19756	2		M6061T6T0.500W.0 f		5/8/2013	5/7/2013	204.0000	\$2.10	0.0000	0	\$428.40
			65								
USD	No		6061T6 RD.TUBE f		200.0000	DES102		\$428.40	0.0000	0	
			.500 X .065W								
			125519								
	3		M6061T6T1.000W.06 f		5/8/2013	5/7/2013	108.0000	\$2.25	0.0000	0	\$243.00
			5								
	No		6061T6 RD TUBE f		100.0000	DES102		\$243.00	0.0000	0	
			1.00 x .065W								
			125519								
	4		M6061T6T1.250W.1 f		5/8/2013	5/7/2013	204.0000	\$5.25	0.0000	0	\$1,071.00
			25								
	No		ALUM. RD TUBING f		200.0000	DES102		\$1,071.00	0.0000	0	
			1.250 x.125W								
			125519								

Total Received Quantity: 516.0000
 Total Qty to Inspect (PO U/M): 0.0000
 Total Reject Quantity: 0.0000
 Total Receipt Value: \$1,742.40
 Total Balance Due Quantity: 0.0000

[Signature]
 130508



PACKING SLIP

ORDER NO.: 60505398 FROM: CRAN PAGE 1

CUST NUMBER: 1203820 NET WGT: 151.474 REQ.DATE: 05/08/13 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 05/03/13
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO19756 IT 2.3.4 RELEASE NO.:
RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0001	42297 D6061-T6 1/2 OD X .065 WA		12 FT ML
	QTY: 204.000 FT WT: 21.200 PC: 17 SHP: 204.000 FT		

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49290842 HT:29288780 PC: 17 SLB/CL:212671
MLT:UNITED STATES MFG:UNITED STATES

0002	43284 D6061-T6 1 OD X .065 WA		12 FT ML
	QTY: 108.000 FT WT: 24.300 PC: 9 SHP: 108.000 FT		

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49266318 HT:F000153810002 PC: 17 SLB/CL:606141
MLT:UNITED STATES MFG:UNITED STATES

0003	43737 D6061-T6 1-1/4 OD X .125		12 FT ML
	QTY: 204.000 FT WT: 105.974 PC: 17 SHP: 204.000 FT		

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49273346 HT:F000150450001 PC: 17 SLB/CL:614414
MLT:UNITED STATES MFG:UNITED STATES

AREA	TYPE OF PKG	GRS WEIGHT	WIDTH	LENGTH	HGHT
------	-------------	------------	-------	--------	------

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PACKING SLIP

ORDER NO.: 60505398 FROM: CRAN PAGE 2

CUST NUMBER: 1203820
SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY ON
CANADA

NET WGT:

151.474 REQ.DATE: 05/08/13 CONFIRMED
SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY ON
ONTARIO CANADA

CN K6A 1K7

CN K6A 1K7

SALESPERSON: DONNA SMALLEY
TERMS: NET 30 DAYS
F.O.B.: SHIPPING POINT
CUST ORD NO.: PO19756 IT 2.3.4

SHIP BY: 05/03/13
VIA: COMMON CARRIER
FREIGHT: PREPAID
RELEASE NO.:
RECEIVING PHONE:

LINE ITEM DESCRIPTION
B REDDICRATE

WIDTH LENGTH
1.000 121.000 12.5000

1.000 121.000

BY: CI
RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED _____

DATE FILLED _____

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PACKING SLIP

ORDER NO.: 60505398 FROM: CRAN PAGE 3

CUST NUMBER: 1203820 NET WGT:

SOLD TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKESBURY ON

CANADA

CN K6A 1K7

151.474 REQ.DATE: 05/08/13 CONFIRMED

SHIP TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKESBURY ON

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY

TERMS:

NET 30 DAYS

F.O.B.:

SHIPPING POINT

CUST ORD NO.:

PO19756 IT 2.3.4

VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

SHIP BY:

05/03/13

27 ENGLEHARD DRIVE

MONROE TWP

NJ 08831

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Electronically Generated Certificate-Valid without signature Date: 5/03/13

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: M49273346-1		CUSTOMER PART NUMBER: 43737		PRODUCT DESCRIPTION: Seamless Tube/Pipe \	
KAISER ORDER NUMBER: 614414	LINE ITEM: 001	SHIP DATE: 05/22/2012	KAISER LOT NUMBER: F00015045	ALLOY: 6061	TEMPER: T6 \
WEIGHT SHIPPED: 1664.000 LB	QUANTITY: 267.000 PCS	B/L NUMBER: 603505	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 3570 EXPRESSWAY DR TOLEDO, OH 43608 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00015045	0001	1	45.4	43.1	18.0	N/A	N/A	N/A
F00015045	0002	1	45.9	43.1	19.5	N/A	N/A	N/A
F00015045	0003	1	44.9	41.9	17.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D70067	.59	.34	.21	.04	1.00	.07	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: OD: 1.250"; Wall: 0.125"; Round @
AMS-4082P AMS-WW-T-700/6B ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.

gm 1305-08
5/15/08

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

T E S T S	TW METALS		R E P O R T S
	MAY 22 2012		
	ACCEPTED BY		

Plant Serial: 00045072
Kaiser Order Number: 614414
Line Item: 001

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager



KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: M49266318-1		CUSTOMER PART NUMBER: 43284		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 606141	LINE ITEM: 001	SHIP DATE: 07/01/2012	KAISER LOT NUMBER: F00015381	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 836.000 LB	QUANTITY: 310.000 PCS	B/L NUMBER: 603802	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 10771 PALMBAY DRIVE ORLANDO, FL 32824 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00015381	0001	1	45.1	41.9	17.0	N/A	N/A	N/A
F00015381	0002	1	45.3	42.1	15.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D70435	.61	.31	.24	.05	.97	.08	.06	.02	.00	.00	.00	.01	.02
D70298	.64	.31	.24	.06	1.01	.08	.06	.03	.00	.01	.00	.01	.03


Applicable Requirements:

Description: OD: 1.000"; Wall: 0.045"; Round @
AMS-4082P AMS-WW-T-700/6B ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1.1, Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.

601305-08
5/3/10/08

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA ✓



Plant Serial: 00049377

Kaiser Order Number: 606141

Line Item: 001

KAISER ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

*Best in
Class*

CERTIFIED TEST REPORT


<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Calvin Latting, Quality & Technology Manager

Calvin Latting



Plant Serial: 00049377

Kaiser Order Number: 606141

Line Item: 001



A COMPANY OF MUELLER INDUSTRIES

PRECISION TUBE CO.
287 WISSAHICKON AVE.
NORTH WALES PA 19454

Control No: 163060

CERTIFIED TEST REPORT

CUSTOMER PURCHASE ORDER NO.	CUST. ORD. NO.	PRECISION TUBE P/N
49290842 LINE 001	212671	24A050000650007

SOLD: TW METALS
TO 760 CONSTITUTION DR.
SUITE 204
EXTON, PA 19341

SHIP: TW METALS - CRANBURY
TO 27 ENGLEHARD DRIVE
MONROE TWP, NJ 08831
UNITED STATES

QUANTITY ORD.	DESCRIPTION	QTY. SHIPPED	DATE SHIPPED
4008 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P AMS-WW-T-700/6B WW-T-700/6F 1M 2 ASTM-B-210-12 LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .5000 +.0030 -.0030 ID WALL .0650 +.0040 -.0040	3696 FT <i>gm</i> <i>13-05-08</i>	04/18/13

MECHANICAL PROPERTIES

SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)
1	45,958	41,150	19		

DESTRUCTIVE TESTS

Comments: FAR BAA COMPLIES, DFARS BAA COMPLIES, FAR TAA COMPLIES

NON-DESTRUCTIVE TESTS

EDDY CURRENT: PASS

CHEMICAL COMPOSITION

ALLOY: 6061	HEAT: TRACEABILITY #: 29288780
	RAW MATL VENDOR: PT26017 - Kaiser Aluminum
	Si Fe Cu Mn Mg Cr Zn Ti Al
Min	0.40 0.15 0.80 0.04 Rem.
Max	0.80 0.70 0.40 0.15 1.20 0.35 0.25 0.15
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL	

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2002/95/EU).

Melted and Manufactured in USA
QMS Registered to ISO 9001: 2008

By: *Art Onaitis*

Art Onaitis
QA Manager

04/18/13

KAISER ALUMINUM


FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CUSTOMER PO NUMBER: PT26017		CUSTOMER PART NUMBER: SPIRIT-371850		PRODUCT DESCRIPTION: 5.400 LB/PC .500 LB/-0 LB 1.312 OD X .085 WALL ESRT	
KAISER ORDER NUMBER: 315246	LINE ITEM: 001	SHIP DATE: 03/01/2013	KAISER LOT NUMBER: 50751-237	ALLOY: 6061	TEMPER: O
WEIGHT SHIPPED: 5459.000 LB	QUANTITY: 983.000 PCS	B/L NUMBER: 004036	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 13.845
SHIP TO: PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA			SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA		



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
50751-237	0001	001	15.8	4.8	28.9	NA N/A	N/A	N/A
50751-237	0001	002	16.0	4.8	25.6	NA N/A	N/A	N/A
50751-237	0001	003	16.0	4.7	29.0	NA N/A	N/A	N/A
50751-237	0001	004	16.0	4.8	28.3	NA N/A	N/A	N/A
50751-237	0001	005	15.9	4.6	28.5	NA N/A	N/A	N/A
50751-237	0001	006	16.0	5.1	28.2	NA N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F71336	.61	.33	.21	.06	.97	.08	.08	.03	.00	.00	.00	.01	.02
F71345	.60	.35	.20	.05	.98	.09	.05	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-12a ASTM-B345-11 AMS-QQ-A-200/8 97(R07) TYPE I
UNS#A96061 Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILITZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

Plant Serial: 00008274
Kaiser Order Number: 315246
Line Item: 001

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

*Best in
Class*

CERTIFIED TEST REPORT


<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Ron Walls,

Ron Walls



Plant Serial: 00008274

Kaiser Order Number: 315246

Line Item: 001



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1953

PURCHASE ORDER

Purchase Order ID PO19756

Purchase Order Date 5/01/13

PO Print Date 5/01/13

Page Number 1 of 2

Order From :

VU-TWM001

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

Contact Name

Vendor Phone

585 768 5600

Vendor Fax

585 768 5601

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
6/13/08

1125519

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M6061T6T0.3125W.058 <i>[Signature]</i>	ALUM TUBE .3125 x .058w	5/08/13 Yes	200.00 f	Yours ppd	\$2.5000	\$500.00
Special Inst: MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8							
2	M6061T6T0.500W.065 <i>[Signature]</i> 13/05/08	6061T6 RD TUBE .065W	5/08/13 Yes	200.00 f	Yours ppd <i>REC 204/43/01/17</i>	\$2.1000	\$420.00
Special Inst: MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8							
3	M6061T6T1.000W065 <i>[Signature]</i> 13/05/08	6061T6 RD TUBE .065w	5/08/13 Yes	100.00 94	Yours ppd <i>REC 108/43/01/17</i>	\$2.2500	\$225.00

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO

Change Nbr: 1

Print Date: 5/01/13



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19756

Purchase Order Date 5/01/13

PO Print Date 5/01/13

Page Number 2 of 2

Order From :

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

VU-TWM001

Contact Name

Vendor Phone 585 768 5600
Vendor Fax 585 768 5601
Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

1120579

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER WW-T-700/6 OR AMS 4080
OR AMS 4082 OR QQ-A-200/8 OR QQ-A-
225/8

4

M6061T6T1.250W.125

ALUM. RD TUBING
1.250 x.125W

5/08/13

200.00

Yours ppd

\$5.2500

\$1,050.00

Yes

f

13/05/13

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER WW-T-700/6 OR AMS 4080
OR AMS 4082 OR QQ-A-200/8 OR QQ-A-
225/8

5

M7075T73R1.000

7075-T73 Rd Bar 1.00

5/08/13

48.00

Yours ppd

\$7.5000

\$360.00

Yes

f

Special Inst:

MATERIAL: 7075-T73 OR 7570-
T7351/T73510/T73511 ROUND BAR
AS PER AMS-QQ-A-200/1 OR AMS-QQ-A-
225/9

PO Total:

\$2,555.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 5/01/13

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO